

SINCE 1978



LEADING LIGHT

# Product Datasheet

vkleadinglight.gr

Amelie

## VK/04693/PE/D/CG/W




Champagne Gold. 3000K. 18W. 1833lm. AC220-240V. 85°. Led Bridgelux.  
Driver KGP. Ceiling/pendant. -20°C → 45°C. 50.000hrs. Clicks 20.000.  
Dimmable Yes, triac. CRI>90. Aluminum+PC. IP20

IP20




### Dimensions



### Gallery





### Downloads




## VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	18W
Voltage	AC220-240V
Fitting	Pendant
Type	Light
Safety class	
Light source	Bridgelux
IP Rating	<b>IP20</b>
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Clicks	20,000
Driver	KGP
Cable Length	300cm (max)
Working temperature	-20°C-45°C
PAGE	84 New Products 2026
NICKNAME	Amelie

Physical Specifications	
Family	Amelie
Color	Champagne gold
Material	Aluminum+PC
Width	ø30cm
Length	ø30cm
Height	25.2cm +11cm (+300cm of cable)
Net weight of product (kg)	2.20kg
Gross weight with inner box (kg)	2.70kg
Width (inner box)	18cm
Length (inner box)	34.8cm
Height (inner box)	34.3cm

Illumination Data	
Lumen	1833lm
Beam angle	85°
Lighting direction	

Packing Info	
Pcs/carton	3pcs

Certification & Warranty	
Guarantee	2 years