

SINCE 1978



# Product Datasheet

LEADING LIGHT

vkleadinglight.gr

Aelia

## VK/04707/PE/D/W/W


White/wood grain. 3000K. 30W. 1680lm. AC220-240V. 120°. LED SMD2835. Driver Eaglerise. Ceiling/pendant. -20°C → 60°C. 50.000hrs. Dimmable Yes, Triac. CRI>80. Metal + acrylic. IP20



IP20



### Dimensions



### Gallery





### Downloads




## VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	30W
Voltage	AC220-240V
Fitting	Pendant
Type	Light
Safety class	
Light source	SMD 2835
IP Rating	<b>IP20</b>
CRI	CRI>80
Dimmable	 TRIAC
Lifetime	50.000hrs
Clicks	20,000
Driver	Eaglerise
Cable Length	135cm
Working temperature	-20°C-60°C
PAGE	170 New Products 2026
NICKNAME	Aelia

Physical Specifications	
Family	Aelia
Color	White/wood grain
Material	Metal + acrylic
Width	ø46cm
Length	ø46cm
Height	15cm (+135cm of cable)
Net weight of product (kg)	2.60kg
Gross weight with inner box (kg)	3.80kg
Width (inner box)	52cm
Length (inner box)	52cm
Height (inner box)	22cm

Illumination Data	
Lumen	1680lm
Beam angle	120°
Lighting direction	

Packing Info	
Pcs/carton	1pc

Certification & Warranty	
Guarantee	2 years