

INTRA S

Indoor lighting fixtures, environmentally friendly SMD chips.
Good heat dissipation structure design.
Elegant appearance and concise.



Luminaire

Product type	Spotlights
Material	Diecast Aluminum
Colour	Sandy black , Sandy white , Matte silver , Matte Brass , Matte Bronze




INTRA-S

Installation

Environment	Indoor
IP	20
Mounting	Recessed

Light Source

Luminous flux	471Lm
Power	18W
Typical voltage	36V
CRI	90
CCT	2700K / 3000K / 4000K



Optics


Light controller type	Lens: 24° / 36°
-----------------------	-----------------

Driver

Input voltage(V)	220-240V/100-277V/100-240V
Power Factor	0.5C/0.9C/0.98C
Output current	300mA
Dimming Type	On/Off/DALI DT6/0-10V/Triac




INTRA-S-12B-S1



· 70 ·



INTRA-S-12B-S2



· 79 ·

INTRA S

Indoor lighting fixtures, environmentally friendly SMD chips.
Good heat dissipation structure design.
Elegant appearance and concise.



Luminaire

Product type	Spotlights
Material	Diecast Aluminum
Colour	Sandy black , Sandy white , Matte silver , Matte Brass , Matte Bronze




INTRA-S

Installation

Environment	Indoor
IP	20
Mounting	Recessed

Light Source

Luminous flux	282~351Lm
Power	18W
Typical voltage	36V
CRI	90
CCT	2700K-6000K



Optics


Light controller type	Lens: 24°/36°
-----------------------	---------------

Driver

Input voltage(V)	220-240V
Power Factor	0.9C/0.5C
Output current	250mA
Dimming Type	DALI DT8/Bluetooth+2.4G Dimming and color djustment




INTRA-S-12B-S1



· 70 ·



INTRA-S-12B-S2



· 79 ·

INTRA S

Indoor lighting fixtures, environmentally friendly SMD chips.
Good heat dissipation structure design.
Elegant appearance and concise.



Luminaire

Product type	Spotlights
Material	Diecast Aluminum
Colour	Sandy black , Sandy white , Matte silver , Matte Brass , Matte Bronze




INTRA-S

Installation

Environment	Indoor
IP	20
Mounting	Recessed

Light Source

Luminous flux	462Lm
Power	18W
Typical voltage	36V
CRI	90
CCT	1800K-5000K



Optics


Light controller type	Lens: 24° / 36°
-----------------------	-----------------

Driver

Input voltage(V)	220-240V
Power Factor	0.9C
Output current	300mA
Dimming Type	DALI DT8




INTRA-S-12B-S1



· 70 ·



INTRA-S-12B-S2



· 79 ·

INTRA S

Indoor lighting fixtures, environmentally friendly SMD chips.
Good heat dissipation structure design.
Elegant appearance and concise.



Luminaire

Product type	Spotlights
Material	Diecast Aluminum
Colour	Sandy black , Sandy white , Matte silver , Matte Brass , Matte Bronze




INTRA-S

Installation

Environment	Indoor
IP	44/65
Mounting	Recessed

Light Source

Luminous flux	405Lm
Power	18W
Typical voltage	36V
CRI	90
CCT	2700K / 3000K / 4000K



Optics


Light controller type	Lens: 24°/36°
-----------------------	---------------

Driver

Input voltage(V)	220-240V/85-265V
Power Factor	0.9C
Output current	250mA
Dimming Type	On/Off




INTRA-S-12B-S1



· 70 ·



INTRA-S-12B-S2



· 79 ·